

Confirmation of Decontamination



In compliance with legal regulations and to protect our employees and operating equipment we need the completed and signed decontamination certificate before your order can be processed.

Instrument or component for safe transport and put this sheet in a document pouch attached outside of the Package. Otherwise, we cannot accept your shipment.







Delivery note

Repair Order / Maintenance Order

<i>Lieferadresse / Delivery adress:</i> B.I.O.-TECH GmbH Zeitlernerstr. 32 D- 94474 Vilshofen Germany	More information: ++49-8541-910047 info@btflowmeter.com
---	--

Device type: _____ **Item-/Serial-number.:** _____

Process data: Temperature: _____ [°C] Pressure: _____ [bar] Flow rate (l/min.) _____ Signal: _____

Warnings about the medium							
Medium/ Concentration	CAS No.	Flammable	Toxic	Toxic corrosive	Irritant	Other*	Harmless
Medium in Process		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Medium for Process- Cleaning		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Medium for end Cleaning		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Other* explosive; oxidising; Dangerous for the environment; bio-hazardous; radioactive Tick the appropriate box; one of the warnings applies, Safety data sheet and, if necessary, special handling instructions.

Error description and other information:

Customer data:

Company name: _____	Fon: _____
Contact person: _____	Fax: _____
Street: _____ No.: _____	E-Mail: _____
Zip Code _____ Location: _____	Order no: _____

"We confirm that the present declaration is complete, true to our best knowledge and that the returned parts have been carefully cleaned. These are thus free of residues in a hazardous quantity. "

Location, Date	Department.	Name	Signature
----------------	-------------	------	-----------